

Figure 2a - Protocol Flow

[6] Services		Service A
[5] ANSU		Notification • of Service A
[4] Administration Unit	Tracks access to the network, may block or allow access	Optional notification
[3] Network	Network A accessed	Network A
[2] Wireless Method	Method A	Method A
[1] Wireless Stations	Wireless unit accesses network via wireless method A and communicates with Administration unit if required	Wireless unit accesses service A, ANSU is notified of services requested

Confidential Patent Invention Application Author: Marc Theeuwes

Page Wireless Access System

12


Figure 2b - Protocol Flow (continued)

[6] Services		Service B		* 10,000			— Service B delivered via wireless method B
[5]ANSU	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7	of Service B		Switch wireless	method and or	
[4] Administration Unit			Optional notification of Service B access		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Optional authorization to switch	
[3] Network		Network A			Optional	network A to B	— Network A or▲ B
[2] Wireless Method		Method A		Switch from wireless method	g 07 4		— Wireless ← method B
[1] Wireless Stations		Wireless unit accesses Service B					Service B delivered

Patent Invention Application Author: Marc Theeuwes Confidential Wir

Page 13 Wireless Access System

Figure 3 - ANSU Configuration




Confidential Patent Invention Application Author: Marc Theeuwes

Page Wireless Access System

14

Figure 4 - Wireless Architecture



Confidential Patent Invention Application Author: Marc Theeuwes

Page Wireless Access System

15